


# KeyPlex® DP Blossom Formula



**Chelated Calcium and Magnesium with Boron, Enhanced Alpha-Keto Acids and Humic Acid**

## GUARANTEED ANALYSIS

Calcium (Ca).....	3.00%
3.00% Chelated Calcium (Ca)	
Magnesium (Mg).....	2.00%
2.00% Chelated Magnesium (Mg)	
Boron (B).....	1.00%

**Derived From:** Calcium Citrate, Magnesium Citrate, and Boric Acid.

## NON-PLANT FOOD INGREDIENTS

Hydrolyzed Yeast.....	(00) 2.08%
Humic Acid.....	(00) 2.02%
Fulvic Acid.....	(00) 2.02%

Purpose: To enhance nutrient uptake.  
F528

## INFORMATION

KeyPlex DP Blossom Formula is a patented formulation of chelated calcium, chelated magnesium and boron. It contains enhanced alpha-keto acids, which may facilitate utilization of micronutrients, and increase resistance to metabolic and environmental stress. It also contains humic acid, which may enhance soil micronutrient availability. KeyPlex DP Blossom Formula is formulated for foliar application to prevent and correct calcium, magnesium and boron deficiencies in plants when used as directed.

## COMPATIBILITY

KeyPlex DP Blossom Formula can be used in combination with pesticides. However, in unfamiliar mixtures use a "jar compatibility" test.

## DIRECTIONS FOR USE

**FOLIAR APPLICATION:** *Citrus:* Apply 2 to 3 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 50 gallons of water. Apply prior to bloom, and no later than early pinhead bud stage. Tropical fruits, stone fruits, pome fruits and nuts: Use 2 to 3 quarts of KeyPlex DP Blossom Formula per acre per application in a minimum of 50 gallons of water. Apply prior to bloom. *Tomatoes and other vegetables, grapes, small fruits, leaf crops, flowering ornamental trees and shrubs, and flower crops:* Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom at least once. *Peanuts, cotton, and other agronomic crops:* Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom. **AERIAL APPLICATION:** Apply recommended rates of KeyPlex DP Blossom Formula in 15 gallons of water per acre.

## CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness of a particular product expressed or implied extends to the use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable by the seller, and buyer assumes the risk of any such use.

# CAUTION

KEEP OUT OF THE REACH OF CHILDREN

## ANTIDOTE

**Ingestion:** Do not induce vomiting. **Eyes:** Rinse with copious quantities of water for at least 5 minutes. **Skin:** Wash with soap and water. Remove contaminate clothing. **Inhalation:** Remove patient from contaminated area. In all cases, patient seeing a physician should follow emergency procedures.

Manufactured by:

KeyPlex P.O. Box 2515,  
Winter Park, FL 32790  
Ph: +1-407-682-6500

KeyPlex.com

KeyPlex is a Registered™  
**MADE IN THE USA**  
Ap.No.KPX09213-FL




Scan this  
QR Code for  
supporting  
product  
information.  
(MSDS & etc.)

Net Content:                      Wt. Per Gallon:      10.8 lb.      Lot Number:

**FOR FLORIDA:** We recommend that you follow the Green Industries BMP's at: [http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP\\_Book\\_final.pdf](http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf) or the Golf Course BMP's at: <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gfbbmp07.pdf>

# KeyPlex<sup>®</sup> DP<sup>®</sup>

## Blossom Formula



**Chelated Calcium and Magnesium with Boron, Enhanced Alpha-Keto Acids and Humic Acid**

### GUARANTEED ANALYSIS

Calcium (Ca).....	3.00%
3.00% Chelated Calcium (Ca)	
Magnesium (Mg).....	2.00%
2.00% Chelated Magnesium (Mg)	
Boron (B).....	1.00%

**Derived From:** Calcium Citrate, Magnesium Citrate, and Boric Acid.

### NON-PLANT FOOD INGREDIENTS

Alpha-Keto Acids.....	X.XX%
Humic Acid.....	X.XX%
Fulvic Acid.....	X.XX%
Seaweed.....	X.XX%

**Purpose:** To enhance nutrient uptake.  
F528

### INFORMATION

KeyPlex DP Blossom Formula is a patented formulation of chelated calcium, chelated magnesium and boron. It contains enhanced alpha-keto acids, which may facilitate utilization of micronutrients, and increase resistance to metabolic and environmental stress. It also contains humic acid, which may enhance soil micronutrient availability. KeyPlex DP Blossom Formula is formulated for foliar application to prevent and correct calcium, magnesium and boron deficiencies in plants when used as directed.

### COMPATIBILITY

KeyPlex DP Blossom Formula can be used in combination with pesticides. However, in unfamiliar mixtures use a "jar compatibility" test.

### DIRECTIONS FOR USE

**FOLIAR APPLICATION:** *Citrus:* Apply 2 to 3 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 50 gallons of water. Apply prior to bloom, and no later than early pinhead bud stage. Tropical fruits, stone fruits, pome fruits and nuts: Use 2 to 3 quarts of KeyPlex DP Blossom Formula per acre per application in a minimum of 50 gallons of water. Apply prior to bloom. *Tomatoes and other vegetables, grapes, small fruits, leaf crops, flowering ornamental trees and shrubs, and flower crops:* Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom at least once. *Peanuts, cotton, and other agronomic crops:* Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom. **AERIAL APPLICATION:** Apply recommended rates of KeyPlex DP Blossom Formula in 15 gallons of water per acre.

### CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness of a particular product expressed or implied extends to the use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable by the seller, and buyer assumes the risk of any such use.

## CAUTION

KEEP OUT OF THE REACH OF CHILDREN

### ANTIDOTE

**Ingestion:** Do not induce vomiting. **Eyes:** Rinse with copious quantities of water for at least 5 minutes. **Skin:** Wash with soap and water. Remove contaminate clothing. **Inhalation:** Remove patient from contaminated area. In all cases, patient seeing a physician should follow emergency procedures.

Manufactured by:

KeyPlex P.O. Box 2515,  
Winter Park, FL 32790  
Ph: +1-407-682-6500

KeyPlex.com

KeyPlex is a Registered™  
**MADE IN THE USA**  
Ap.No.KPX09213-FL




Scan this  
QR Code for  
supporting  
product  
information.  
(MSDS & etc.)

Net Content:                      Wt. Per Gallon:      10.8 lb.      Lot Number:

**FOR FLORIDA:** We recommend that you follow the Green Industries BMP's at: [http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP\\_Book\\_final.pdf](http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf) or the Golf Course BMP's at: <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gfbbmp07.pdf>

# KeyPlex® DP

## Blossom Formula



**Chelated Calcium and Magnesium with Boron, Enhanced Alpha-Keto Acids and Humic Acid**

### GUARANTEED ANALYSIS

Calcium (Ca).....	3.00%
3.00% Chelated Calcium (Ca)	
Magnesium (Mg).....	2.00%
2.00% Chelated Magnesium (Mg)	
Boron (B).....	1.00%

**Derived From:** Calcium Citrate, Magnesium Citrate, and Boric Acid.

### NON-PLANT FOOD INGREDIENTS

Humic Acid.....	0.10%
Fulvic Acid.....	0.10%
Seaweed.....	0.50%
Yeast Extract.....	0.06%

**Purpose:** To enhance nutrient uptake. F528

### INFORMATION

KeyPlex DP Blossom Formula is a patented formulation of chelated calcium, chelated magnesium and boron. It contains enhanced alpha-keto acids, which may facilitate utilization of micronutrients, and increase resistance to metabolic and environmental stress. It also contains humic acid, which may enhance soil micronutrient availability. KeyPlex DP Blossom Formula is formulated for foliar application to prevent and correct calcium, magnesium and boron deficiencies in plants when used as directed.

### COMPATIBILITY

KeyPlex DP Blossom Formula can be used in combination with pesticides. However, in unfamiliar mixtures use a “jar compatibility” test.

### DIRECTIONS FOR USE

**FOLIAR APPLICATION:** *Citrus:* Apply 2 to 3 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 50 gallons of water. Apply prior to bloom, and no later than early pinhead bud stage. Tropical fruits, stone fruits, pome fruits and nuts: Use 2 to 3 quarts of KeyPlex DP Blossom Formula per acre per application in a minimum of 50 gallons of water. Apply prior to bloom. *Tomatoes and other vegetables, grapes, small fruits, leaf crops, flowering ornamental trees and shrubs, and flower crops:* Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom at least once. *Peanuts, cotton, and other agronomic crops:* Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom. **AERIAL APPLICATION:** Apply recommended rates of KeyPlex DP Blossom Formula in 15 gallons of water per acre.

### CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness of a particular product expressed or implied extends to the use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable by the seller, and buyer assumes the risk of any such use.

## CAUTION

KEEP OUT OF THE REACH OF CHILDREN

### ANTIDOTE

**Ingestion:** Do not induce vomiting. **Eyes:** Rinse with copious quantities of water for at least 5 minutes. **Skin:** Wash with soap and water. Remove contaminate clothing. **Inhalation:** Remove patient from contaminated area. In all cases, patient seeing a physician should follow emergency procedures.

Net Content:                      Wt. Per Gallon:      10.8 lb.      Lot Number:

Manufactured by:  
KeyPlex P.O. Box 2515,  
Winter Park, FL 32790  
Ph: +1-407-682-6500  
KeyPlex.com  
KeyPlex is a Registered™  
MADE IN THE USA  
Ap.No.KPX09213-FL



Scan this  
QR Code for  
supporting  
product  
information.  
(MSDS & etc.)

FOR FLORIDA: We recommend that you follow the Green Industries BMP's at: [http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP\\_Book\\_final.pdf](http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf) or the Golf Course BMP's at: <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gfbbmp07.pdf>