

# Safety Data Sheet - 15 Sections

## SECTION 1 - IDENTIFICATION

**Product Identifier / Name**

KeyPlex 415

**Product Use**

Plant Nutrition

Product Code: N/A

**Manufacturer**

KeyPlex Manufacturing

**Details of the supplier of the safety sheet**

N/A

**Street Address**

2239 Commerce Ct.

**City**

Bowling Green

**Province**

Florida

**Postal Code**

33834

**Emergency Telephone**

ChemTrac 1-800-424-9300

**Telephone (General)**

407-682-6500

**Recommended uses:** To prevent and correct micronutrient deficiencies when used as directed.

Refer to the label.

## SECTION 2 - Hazard Identification

**United States (US):** According to OSHA 29 CFR 1910.1200 HCS

**Classification of the substances or mixtures:** OSHA HCS 2012

**Label elements:**



**Hazard statements:**

- KeyPlex 415 is a low pH (acidic) water soluble liquid.
- KeyPlex 415 can corrode metals after prolonged exposure, always use acid resistant, corrosion resistant equipment when using or handling KeyPlex 415.

**Precautionary Statements:**

- For use in Agricultural production, to alleviate micronutrient deficiencies.
- Use as directed on the label.
- Follow all local and federal regulations regarding agrochemical use.
- Keep out of reach of children.

*continuation of section 2*

<b>Response:</b>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Storage / Disposal:</b>	<ul style="list-style-type: none"> <li>• Store in a well ventilated and secure storage facility</li> <li>• Ventilation system should be corrosive resistant.</li> <li>• The product should not be stored at temperatures below 5°C. or above 50°C.</li> <li>• Keep out of direct sunlight.</li> </ul>
<b>Other Hazards:</b>	<ul style="list-style-type: none"> <li>• OSHA HCS 2012</li> </ul>

**Canada**

According to WHMIS

Classification of the substance or mixture: WHMIS

Label elements: WHMIS

Other hazards: WHMIS

Other information: N/A

**SECTION 3 - Composition / Information on Ingredients**

Chemical Name	% (weight)	CAS No.	LD <sub>50</sub> Ingredient (specify species and route)	LD <sub>50</sub> Ingredient (specify species)
Sodium Glucoheptonate	0-41	31138-65-5	N/A	N/A
Magnesium Nitrate	22.5-27.5	100377-60-3	N/A	N/A
Manganese Nitrate	22.4-30.0	10377-66-9	N/A	N/A
Zinc Nitrate	3.3-4.0	7779-88-6	N/A	N/A
Iron Sulfate Heptahydrate	2.25-2.75	7728-63-0	N/A	N/A
Copper Sulfate Heptahydrate	1.8-2.2	7758-99-8	N/A	N/A
Disodium Octaborate	2.25-2.75	12280-03-4	N/A	N/A
Yeast Extract(containing Alpha Keto Acids)	0.057-0.069	Mixture	N/A	N/A

**SECTION 4 - First Measures**

<b>Inhalation:</b>	<ul style="list-style-type: none"> <li>• Move victim to fresh air.</li> <li>• If persons is NOT breathing call Emergency Services, perform artificial respiration if necessary.</li> </ul>
--------------------	--

continuation of section 4

	<ul style="list-style-type: none"> <li>• Call Physician if symptoms persist.</li> </ul>
<b>Skin:</b>	<ul style="list-style-type: none"> <li>• Remove all contaminated clothing.</li> </ul>
	<ul style="list-style-type: none"> <li>• Wash skin with soap and clean water thoroughly for at least 20 minutes.</li> <li>• Seek Medical attention if irritation develops and persists.</li> </ul>
<b>Eye:</b>	<ul style="list-style-type: none"> <li>• Flush eyes with clean running water for a minimum of 15-20 minutes.</li> <li>• Make certain the water thoroughly rinses the eyes by periodically lifting the upper and lower lids.</li> <li>• Get medical attention if irritation persists.</li> </ul>
<b>Ingestion:</b>	<ul style="list-style-type: none"> <li>• Call Physician .</li> <li>• Have person sip a glass of clean water to rinse mouth and spit.</li> <li>• Do not induce vomiting unless instructed by a physician.</li> <li>• Contact physician if person is unconscious. Do not give anything by mouth.</li> </ul>
<b>Most important symptoms and effects. Both acute and delayed:</b>	<ul style="list-style-type: none"> <li>• Upset stomach</li> <li>• Vomiting</li> </ul>
<b>Indication of any immediate medical attention and special treatment needed:</b>	<ul style="list-style-type: none"> <li>• Notes to physician</li> </ul>

**SECTION 5 - Fire - Fighting Measures**

<b>Suitable Extinguishing Media:</b>	<ul style="list-style-type: none"> <li>• Water</li> </ul>
<b>Unsuitable Extinguishing Media</b>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Flash Point:</b>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Upper Flammable Limit</b>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Auto Ignition:</b>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Method Used:</b>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Special hazards arising from the substance or mixture:</b>	
<b>Unusual Fire and Explosion:</b>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Hazards:</b>	<ul style="list-style-type: none"> <li>• N/A</li> </ul>
<b>Hazardous Combustion Products</b>	<ul style="list-style-type: none"> <li>• If this product is heated to an anhydrous state it will emit Nitrogen Oxide vapors which are hazardous if inhaled</li> <li>• Exposure to high heat can emit toxic vapors</li> </ul>
<b>Advice for firefighters</b>	<ul style="list-style-type: none"> <li>• KeyPlex 415 is not a flammable liquid and is very water-soluble.</li> <li>• In case of fire, use sufficient water to dilute the product to avoid production of Nitrogen Oxide.</li> </ul>

## SECTION 6 - Accidental Release Measures

<b>Personal Precautions:</b>	<ul style="list-style-type: none"> <li>• Always wear acid resistant protective clothing when handling this product.</li> <li>• Always wear Gloves and Eye Protection.</li> <li>• Handle in well ventilated area.</li> <li>• Wear respiratory equipment.</li> </ul>
<b>Environmental Precautions:</b>	<ul style="list-style-type: none"> <li>• Take all spill control measures necessary to avoid contamination of ground water and storm run-off drains.</li> </ul>
<b>Methods and Material for containment and cleaning up:</b>	<ul style="list-style-type: none"> <li>• Wear acid resistant, protective clothing, respiratory equipment and eye protection.</li> <li>• Isolate the spill area and restrict access to non-essential personnel.</li> <li>• Stop the flow of the material at the source.</li> </ul> <p><b>Spill on Non-Absorbent Surfaces:</b></p> <ul style="list-style-type: none"> <li>• Use Dry absorbent material such as Towels or Diatomaceous earth.</li> <li>• Use sufficient quantity to fully contain and absorb the spilled liquid.</li> <li>• Collect the contaminated material and place in a secure ventilated vessel.</li> <li>• Dispose of in compliance to local laws and regulations.</li> </ul> <p><b>Spill on Soil:</b></p> <ul style="list-style-type: none"> <li>• Remove the contaminated soil to a depth where no residue is present, place contaminated soil in a secure ventilated vessel and dispose of in compliance to local laws and regulations.</li> </ul>

## SECTION 7 - Handling and Storage

<b>Precautions for safe handling:</b>	<ul style="list-style-type: none"> <li>• Always wear acid resistant protective clothing, gloves and eye protection before you handle the material.</li> </ul>
<b>Conditions for safe storage:</b>	<ul style="list-style-type: none"> <li>• Store in a well ventilated and secure storage facility.</li> <li>• Ventilation system should be corrosive resistant.</li> <li>• The product should be stored at ambient temperature.</li> <li>• The product should not be stored at temperatures below 5°C or above 50°C.</li> <li>• Keep out of direct sunlight.</li> </ul>
<b>Incompatible Materials for ignition Sources:</b>	N/A

## SECTION 8 - Exposure Controls / Personal Protection

### Control Parameters

### Exposure Limits/ Guidelines

	Result	ACGIH	Canada Ontario	Canada Quebec	China	NIOSH
--	--------	-------	----------------	---------------	-------	-------


continuation of section 8

N/A	N/A	N/A	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A	N/A	N/A
			<b>Result</b>	<b>OSHA</b>		
			N/A	N/A		

**key to abbreviations:**

ACGIH= American Conference of Governmental Industrial Hygiene  
 TWA= Time-Weighted Averages are based on 8d/day exposures  
 NIOSH= National Institute of Occupational Safety and Health  
 STEL= Short Term Exposure Limits are based on 15-minute exposures  
 OSHA= Occupational Safety and Health Administration  
 STEV = Short Term Exposure Value  
 MSHA= Mine Safety and Health Administration

**Exposure Controls**

<b>Engineering:</b>	Use Corrosion Resistant Ventilation System in Storage facility, and equipment used in handling this product.
<b>Measures/Controls:</b>	N/A
<b>Personal Protective Equipment Pictograms:</b>	
<b>Respiratory:</b>	Handle this product wearing a facemask or in a well ventilated area
<b>Eye/Face:</b>	Handle this product wearing eye protection glasses, goggles or a face shield.
<b>Hands:</b>	When handling this product wear appropriate work gloves.
<b>Skin/Body</b>	When handling this product wear long sleeve shirt and pants.
<b>General Industrial Hygiene:</b>	When handling chemicals, follow all local and federal regulations.

continuation of page 5

<b>Considerations:</b>	N/A
<b>Environmental Exposure:</b>	N/A
<b>Controls:</b>	N/A

**SECTION 9 - Physical and Chemical Properties**

**Information on Physical and Chemical Properties**

**Material Description**

<b>Physical Form</b>	Liquid	<b>Appearance/Description</b>	Opaque with sweet smell.
<b>Color</b>	Dark Brown	N/A	N/A
<b>Taste</b>	N/A	N/A	N/A

continuation of section 9

Particular Size	N/A	N/A	N/A
Odor threshold	Data lacking	<b>Physical and Chemical Properties</b>	Data lacking

**General Properties**

Boiling Point:	100°C	Melting Point	N/A
Decomposition Temperature:	N/A	Heat of Decomposition	N/A
pH:	2.9-3.1	Specific Gravity, Relative Density	1.29-1.33
Density	11.0-11.4lbs/gal	Bulk Density	N/A
Water Solubility:	Soluble	Solvent Solubility	N/A
Viscosity:	N/A	Explosive Properties	Classification criteria not met
Oxidizing Properties:	N/A	N/A	N/A

**Volatility**

Vapor Pressure	N/A	Vapor Density	N/A
Evaporation Rate	N/A		
VOC (Vol.)	N/A	Volatiles (Wt.)	N/A
Volatiles (Vol.)	N/A		

**Flammability**

Flash Point	N/A	UEL	N/A
LEL	N/A	Autoignition	N/A
Self Accelerating	N/A	Heat of Combustion	N/A
Decomposition Temperature (SADT)	N/A		
Burning Time	N/A	Flame Duration	N/A
Flame Height	N/A	Flame Extension	N/A
Ignition Distance	N/A	Flammability (solid, gas)	N/A

**Environmental**

Half-life	N/A	Octano/Water Partition Coefficient	N/A
Coefficient of water/oil distribution	N/A	Bioaccumulation Factor	N/A
Bioconcentration Factor	N/A	Biochemical Oxygen Demand BOD/Bod5	N/A
Chemical Oxygen Demand	N/A	Persistence	N/A
Degradation	N/A		

**SECTION 10 - Stability and Reactivity**

Reactivity:	• Yes
Chemical Stability:	• Under normal temperatures and atmospheric pressure this product is stable

continuation of section 10

<b>Possibility of hazardous reactions:</b>	• N/A
<b>Conditions to avoid:</b>	• Use a jar compatibility test with unfamiliar mixtures and phosphorus containing products.
<b>Incompatible materials:</b>	• Use a jar compatibility test with unfamiliar mixtures and phosphorus containing products.
<b>Hazardous decomposition materials:</b>	• Nitrogen oxide vapors at high temperatures.

## SECTION 11 - Toxicological Information

### Information on toxicological effects

Component Name	CAS	Data
Keyplex 415	Mixture	<b>Acute Toxicity</b> Oral (ATE): N/A <b>Irritation:</b> N/A Dermal (ATE): N/A Eye (ATE): N/A <b>Reproductive:</b> N/A
<b>GHS Properties</b>		<b>OSHA HCA 2012 • Classification Criteria not met</b>
<b>Acute toxicity</b>		N/A
<b>Aspiration Hazard</b>		N/A
<b>Carcinogenicity</b>		N/A

continuation of page 7

<b>Germ Cell Mutagenicity</b>	N/A
<b>Respiratory sensitization</b>	N/A
<b>Serious eye damage/irritation</b>	N/A
<b>Skin corrosion/Irritation</b>	N/A
<b>Skin sensitization</b>	N/A
<b>STOT-RE</b>	N/A
<b>STOT-RE</b>	N/A
<b>Toxicity for Reproduction</b>	N/A

### Target Organs

Route[s] of entry exposure		
<b>skin:</b>	Wear acid resistant work gloves and clothing. Avoid skin contact.	<b>Acute(Immediate)</b> -Possible redness and localize irritation <b>Chronic(Delayed)</b> - N/A

continuation of section 11

<b>Eyes:</b>	Wear goggles or glasses with side shields If not available wear face shield. Avoid splashes.	<b>Acute(Immediate)</b> - Burning sensation, Redness <b>Chronic(Delayed)</b> - N/A
<b>Oral (Ingestion):</b>	Do not swallow or taste.	<b>Acute(Immediate)</b> - Nausea, Vomiting <b>Chronic(Delayed)</b> - N/A

**SECTION 12- Ecological Information**

<b>Toxicity:</b>	Not toxic to bees.
<b>Persistence and Degradability:</b>	N/A
<b>Bioaccumulative potential:</b>	None.
<b>Mobility in soil:</b>	Mobile in soil.
<b>other adverse effects:</b>	N/A
<b>other information:</b>	N/A

**SECTION 13 -Disposal Considerations**

**Waste treatment methods**

<b>Product waste</b>	Dispose of following local and federal laws.
<b>Packaging waste</b>	Rinse with water, recycle if possible. Follow local and federal laws and regulations.

**SECTION 14 -Regulatory Information**

<b>Safety, health and environmental regulation/legislation specific for the substance or mixture SARA hazard classifications:</b>	• Acute, Fire
---	---------------

**Inventory**

Component	CAS	Canada DSL	Canada NDSL	TSCA
N/A	N/A	N/A	N/A	N/A

continuation of page 8

**State Right To Know**

Component	CAS	M/A	N/J	pa
N/A	N/A	N/A	N/A	N/A

**SECTION 15 - other Information**

<b>Last Revision Date:</b>	N/A
<b>Preparation Date :</b>	23-Jun-15
<b>Disclaimer/Statement of Liability:</b>	Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied extends to the use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable by the seller, and buyer assumes the risk of any such use.